



HUSQVARNA 530iBX

Powered by Husqvarna's powerful BLi backpack battery, the handheld 530iBX blower is low in weight but big on all-weather performance (IPX4). Full of smart features including an intuitive keypad, optimised ergonomics, improved cruise control and boost mode, all designed to maximise uptime and productivity.



Cruise control

Blowing speed can be set at optionally rpm for optimum handling.



Advanced motor fan design

Best performance in pro battery class due to the advanced electric motor fan design.

Li-ion power

The Li-ion battery provides long lasting power and top class performance.

Boost effect

Maximized blowing speed during limited time through easy accessible boost mode.



FEATURES

- Li-ion power, long lasting power and top class performance.
- Best performance in class due to the advanced motor fan design.
- Cruise controlled blowing speed for optimum handling.
- Maximized blowing speed through easy accessible boost mode.
- Ergonomic handle with easy access to the controls.
- Low total weight through few components and lightweight motor.
- Superb balance, grip and intuitive keypad gives excellent ergonomics.
- Low noise levels enable longer working hours.
- High torque to weight ratio for increased efficiency and reliability.
- Working with harness and eyelet equipped machine gives a comfortable working position.
- Easy to operate with in lined air outlet
- Low maintenance
- Allows you to quickly switch the same battery between different product applications and keep working.
- Gear up for nonstop operation

Technical specifications	
BATTERY	
Battery voltage	36 V
CAPACITY	
Air flow in pipe	12.4 m ³ /min
Air speed	49.6 m/s
Air speed (round nozzle)	49.6 m/s
DIMENSIONS	
Article net weight	2329 g
Product size height	27 cm
Product size length	57 cm
Weight without battery	2.9 kg
ENGINE	
Motor type	BLDC (brushless)
SOUND AND NOISE	
Sound power level, guaranteed (LWA)	91 dB(A)
Sound power level, measured	90 dB(A)
Sound pressure level at operators ear	77.6 dB(A)
VIBRATION	
Equivalent vibration level (ahv, eq) rear handle	0.4 m/s ²

ACCESSORIES



HUSQVARNA CHARGER QC80
967 33 56-31



HUSQVARNA CHARGER QC80
967 33 56-41



HUSQVARNA CHARGER QC80
967 33 56-51



HUSQVARNA CHARGER QC80
967 33 56-61



HUSQVARNA BATTERY CHARGER
967 33 56-71



HUSQVARNA CHARGER QC330
967 09 14-01



HUSQVARNA CHARGER QC330
967 09 14-02



HUSQVARNA CHARGER QC330
967 09 14-03



HUSQVARNA CHARGER QC330
967 09 14-04



HUSQVARNA CHARGER QC330
967 09 14-05



HUSQVARNA CHARGER QC330
967 09 14-06



HUSQVARNA CHARGER QC500
967 09 15-01

HUSQVARNA CHARGER QC500
967 09 15-02

HUSQVARNA CHARGER QC500
967 09 15-03

HUSQVARNA CHARGER QC500
967 09 15-04

HUSQVARNA CHARGER QC500
967 09 15-05




HUSQVARNA CHARGER QC500
967 09 15-06




HUSQVARNA CHARGER QC80F
967 62 83-01



HUSQVARNA INVERTER VI600F
967 62 85-01



HUSQVARNA INVERTER VI600F
967 62 85-02



HUSQVARNA INVERTER VI600F
967 62 85-03



HUSQVARNA INVERTER VI600F
967 62 85-04



HUSQVARNA BATTERY BOX S
585 42 87-01



CHAIN SAW HOOK
580 80 03-01



NOZZLE
579 79 75-01



HIP PAD
587 83 40-01